徐州华泰国际贸易有限公司

XUZHOU EASTERN HUATAI INTERNATIONAL TRADING CO., LTD. NO. 1 GROUP OF XIANGYANG VILLAGE, YUNHE TOWN, PIZHOU CITY

DECLARATION OF PERFORMANCE

- 1. Unique identification code of the product-type: Film Faced Plywood
- 2. Tape, batch or serial number or any other elements allowing indentification of the construction products required pursuant to Article 11(4):

1200x2400x6.5mm, 9mm, 12mm

- 3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

 Film Faced Plywood
- 4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required persuant to Article 11(5):
- 5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article XUZHOU EASTERN HUATAI IN FIRNATIONAL FRADING CO., LTD. NO. 1 GROUP OF XIANGYANG VIELAGE, YUNKE FOWN, PIZHOU CITY XIA HONG JIAN Sales Manager
- 6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:
 System 4
- 7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:
 EN13986-2004

(name of identification number of the notified body, if relevant) Ente Certificazione Macchine Srl

Performed.....under system...4.....

In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been
issued: Ente Certificazione Macchine Srl
(name of identification number of the Technical Assessment body, if relevant)
Issued
(reference number of the European Technical Assessment)
On the basis of
(Reference number of the European Assessment Document)EN4.4.2011 official
Journal of the European Union L8/36 .)
Performedtechnical files assessmentunder system4
(description of the third party tasks as set out in Annex V)
And issuedverification of compliance certificate2312004004
(Certificate of constancy of per formance, certificate of conformity of the factory
production control, test/calculation reports-as relevant)

9. Declared performance

Notes to the table

- 1. Column 1 shall contain the list of essential characteristics as determined in the harmonized technical specifications for the intended use or uses indicated in point 3 above.
- 2. For each essential characteristic listed in column 1 and in compliance with the requirements of Article 6. column2 shall contain the declared performance expressed by level or class, or in a description, related to the corresponding essential characteristics. The letters"NPD"(No Performance Determined) shall be indicated where no performance is declared.
- 3. For each essential characteristics listed in column 1, column 3, shall contain 1.
 - (a) dated reference of the corresponding harmonized standard and relevant, the reference number of the specific or appropriate reclinical Documnetation used; or
 - (b) dated reference of the corresponding European Asseement Document where available and reference number of the European Technical Assessment used.

Essential Characteristics	Performance	Harmonised Specification
Thickness Tolerance	+/- 0.5mm	EN310
Bonding Quality	63.6Mpa	EN314
Glue	WBP Phenolic Glue	GB/T 19901-2008

Where pursuant to Article 37 or 38 the specific Technical Documentation has been used, the requirements with which the product comlies:
.....EN 14342 R305/2011.....

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the

manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

XUZHOU EASTERN HUATAI INTERNATIONAL TRADING CO., LTD. NO. 1 GROUP OF XIANGYANG VILLAGE, YUNHE TOWN, PIZHOU CITY

XIA HONG HAW Sales Manager