This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ROCKO MATT SILICONE

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: ROCKO MATT SILICONE

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Sealant

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

WIM Sp. z o.o. ul. Wronia 61/63

97-300 Piotrków Tryb - Polska Tel.: +48 44 744 12 50 biuro@wim-chb.pl http://www.wim-chb.pl

1.4 Emergency telephone number:

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Skin Sens. 1: Sensitisation, skin, Category 1, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

 $Contains\ Butan-2-one\ O,O\ ',O\ '\ '-(vinylsilylidyne) trioxime,\ N-(3-(trimethoxysilyl)propyl) ethylenediamine.$

Substances that contribute to the classification

Butan-2-one O,O´,O´´-(methylsilylidyne)trioxime

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

Date of compilation: 08/04/2022

3.2 Mixture:

Chemical description: Mixture composed of chemical products

- CONTINUED ON NEXT PAGE -

Revised: 08/04/2022

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ROCKO MATT SILICONE

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| | Identification | | Chemical name/Classification | | Concentration |
|-------------------------|---|------------------------|--|---------------------|---------------|
| CAS: | 112945-52-5 | Syntetic Silicon Dioxi | de ⁽¹⁾ | Self-classified | |
| EC: Index: REACH: | Non-applicable Non-applicable 01-2119379499-16- XXXX | Regulation 1272/2008 | Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT SE 3: H335 - Warning | 1 | 5 - <7 % |
| CAS: | 22984-54-9 | Butan-2-one 0,0',0' | ´-(methylsilylidyne)trioxime(1) | Self-classified | |
| EC: Index: REACH: | 245-366-4 Non-applicable 01-2119970560-38- XXXX | Regulation 1272/2008 | Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning | <u>(1)</u> | 3 - <5 % |
| CAS: | 2224-33-1 | Butan-2-one O,O´,O´ | ´-(vinylsilylidyne)trioxime ⁽¹⁾ | Self-classified | |
| EC: Index: REACH: | 218-747-8 Non-applicable 01-2119970537-27- XXXX | Regulation 1272/2008 | Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger | 1 43 | 0,1 - <1 % |
| CAS: | 1760-24-3 | N-(3-(trimethoxysilyl |)propyl)ethylenediamine ⁽¹⁾ | Self-classified | |
| EC: Index: REACH: | 217-164-6 Non-applicable 01-2119970215-39- XXXX | Regulation 1272/2008 | Acute Tox. 4: H332; Eye Dam. 1: H318; Skin Sens. 1: H317; STOT RE 2: H373 - Danger | (!) ⟨?) ⟨\$) | 0,1 - <1 % |

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 **Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety data Sheet

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media: 5.1

Suitable extinguishing media:

Page 2/12

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ROCKO MATT SILICONE

SECTION 5: FIREFIGHTING MEASURES (continued)

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

- CONTINUED ON NEXT PAGE -

Date of compilation: 08/04/2022 Revised: 08/04/2022 Version: 2 (Replaced 1) **Page 3/12**

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ROCKO MATT SILICONE

SECTION 7: HANDLING AND STORAGE (continued)

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 35 °C

Maximum time: 18 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

| | | Short exposure | | Long ex | posure |
|---|------------|----------------|----------------|------------------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| Butan-2-one O,O´,O´´-(methylsilylidyne)trioxime | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 22984-54-9 | Dermal | Non-applicable | Non-applicable | 0,145 mg/kg | Non-applicable |
| EC: 245-366-4 | Inhalation | Non-applicable | Non-applicable | 1,02 mg/m ³ | Non-applicable |
| Butan-2-one O,O´,O´´-(vinylsilylidyne)trioxime | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 2224-33-1 | Dermal | Non-applicable | Non-applicable | 0,15 mg/kg | Non-applicable |
| EC: 218-747-8 | Inhalation | Non-applicable | Non-applicable | 1,06 mg/m ³ | Non-applicable |

DNEL (General population):

| | | Short exposure | | Long ex | kposure |
|---|------------|----------------|----------------|------------------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| Butan-2-one O,O´,O´´-(methylsilylidyne)trioxime | Oral | Non-applicable | Non-applicable | 0,072 mg/kg | Non-applicable |
| CAS: 22984-54-9 | Dermal | Non-applicable | Non-applicable | 0,072 mg/kg | Non-applicable |
| EC: 245-366-4 | Inhalation | Non-applicable | Non-applicable | 0,25 mg/m ³ | Non-applicable |
| Butan-2-one O,O´,O´´-(vinylsilylidyne)trioxime | Oral | Non-applicable | Non-applicable | 0,075 mg/kg | Non-applicable |
| CAS: 2224-33-1 | Dermal | Non-applicable | Non-applicable | 0,075 mg/kg | Non-applicable |
| EC: 218-747-8 | Inhalation | Non-applicable | Non-applicable | 0,26 mg/m ³ | Non-applicable |

PNEC:

| Identification | | | | |
|---|--------------|----------------|-------------------------|----------------|
| Butan-2-one O,O´,O´´-(methylsilylidyne)trioxime | STP | 3,9 mg/L | Fresh water | 0,018 mg/L |
| CAS: 22984-54-9 | Soil | 65,63 mg/kg | Marine water | 0,002 mg/L |
| EC: 245-366-4 | Intermittent | Non-applicable | Sediment (Fresh water) | 557,543 mg/kg |
| | Oral | 0,00322 g/kg | Sediment (Marine water) | 55,754 mg/kg |
| Butan-2-one O,O´,O´´-(vinylsilylidyne)trioxime | STP | 4,06 mg/L | Fresh water | 0,019 mg/L |
| CAS: 2224-33-1 | Soil | 133,8 mg/kg | Marine water | 0,002 mg/L |
| EC: 218-747-8 | Intermittent | Non-applicable | Sediment (Fresh water) | 1136,562 mg/kg |
| | Oral | 0,003333 g/kg | Sediment (Marine water) | 113,656 mg/kg |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine | STP | 25 mg/L | Fresh water | 0,062 mg/L |
| CAS: 1760-24-3 | Soil | 0,009 mg/kg | Marine water | 0,006 mg/L |
| EC: 217-164-6 | Intermittent | 0,62 mg/L | Sediment (Fresh water) | 0,22 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,022 mg/kg |

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ROCKO MATT SILICONE

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Non-applicable

D.- Eye and face protection

Non-applicable

E.- Body protection

Non-applicable

F.- Additional emergency measures

It is not necessary to take additional emergency measures.

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 0 % weight
V.O.C. density at 20 °C: 0 kg/m³ (0 g/L)
Average carbon number: Non-applicable
Average molecular weight: Non-applicable

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C: Liquid
Appearance: Paste

Colour: According to the markings on the package

Odour: Characteristic
Odour threshold: Non-applicable *

Volatility:

Boiling point at atmospheric pressure: 182 - 320 °C

Vapour pressure at 20 °C: 4,801E-1 Pa

Vapour pressure at 50 °C: 4,97 Pa (0 kPa)

Evaporation rate at 20 °C: Non-applicable *

Product description:

Density at 20 °C: Non-applicable *

Relative density at 20 °C: 1,31

Dynamic viscosity at 20 °C:

Kinematic viscosity at 20 °C:

Kinematic viscosity at 40 °C:

Non-applicable *

>20,5 mm²/s

- CONTINUED ON NEXT PAGE -

Date of compilation: 08/04/2022 Revised: 08/04/2022 Version: 2 (Replaced 1) **Page 5/12**

^{*}Not relevant due to the nature of the product, not providing information property of its hazards.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ROCKO MATT SILICONE

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Concentration: Non-applicable * pH: Non-applicable * Vapour density at 20 °C: Non-applicable * Non-applicable * Partition coefficient n-octanol/water 20 °C: Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable *

Flammability:

Flash Point: Non Flammable (>60 °C)

Flammability (solid, gas):

Autoignition temperature:

Lower flammability limit:

Upper flammability limit:

Non-applicable *

Non-applicable *

Non-applicable *

Particle characteristics:

Median equivalent diameter: Non-applicable

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Non-applicable *

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable components:

Non-applicable *

Non-applicable *

Other safety characteristics:

Surface tension at 20 °C:

Refraction index:

Non-applicable *

Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Not applicable | Not applicable | Avoid alkalis or strong bases |

10.6 Hazardous decomposition products:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ROCKO MATT SILICONE

SECTION 10: STABILITY AND REACTIVITY (continued)

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ROCKO MATT SILICONE

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

| Identification | Acute toxicity | | |
|---|-----------------|-------------|--------|
| Butan-2-one O,O´,O´´-(methylsilylidyne)trioxime | LD50 oral | 2247 mg/kg | Rat |
| CAS: 22984-54-9 | LD50 dermal | >2000 mg/kg | |
| EC: 245-366-4 | LC50 inhalation | >20 mg/L | |
| Syntetic Silicon Dioxide | LD50 oral | 10000 mg/kg | Rat |
| CAS: 112945-52-5 | LD50 dermal | 5100 mg/kg | Rabbit |
| EC: Non-applicable | LC50 inhalation | >5 mg/L | |
| Butan-2-one O,O´,O´´-(vinylsilylidyne)trioxime | LD50 oral | 3519 mg/kg | Rat |
| CAS: 2224-33-1 | LD50 dermal | >2000 mg/kg | |
| EC: 218-747-8 | LC50 inhalation | >20 mg/L | |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine | LD50 oral | >5000 mg/kg | Rat |
| CAS: 1760-24-3 | LD50 dermal | >2000 mg/kg | |
| EC: 217-164-6 | LC50 inhalation | >20 mg/L | |

Acute Toxicity Estimate (ATE mix):

| ATE mix | | Ingredient(s) of unknown toxicity |
|------------|-------------------------------------|-----------------------------------|
| Oral | >2000 mg/kg (Calculation method) | Non-applicable |
| Dermal | >2000 mg/kg (Calculation method) | Non-applicable |
| Inhalation | >20 mg/L (4 h) (Calculation method) | Non-applicable |

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

| Identification | Concentration | | Species | Genus |
|--------------------------|---------------|-------------------|-------------------|------------|
| Syntetic Silicon Dioxide | LC50 | 10000 mg/L (96 h) | Brachydanio rerio | Fish |
| CAS: 112945-52-5 | EC50 | 10000 mg/L (24 h) | Daphnia magna | Crustacean |
| EC: Non-applicable | EC50 | Non-applicable | | |

Chronic toxicity:

- CONTINUED ON NEXT PAGE
Date of compilation: 08/04/2022 Revised: 08/04/2022 Version: 2 (Replaced 1) Page 8/12

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ROCKO MATT SILICONE

SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | Concentration | | Species | Genus |
|--|---------------|----------|-----------------|------------|
| Butan-2-one O,O´,O´´-(vinylsilylidyne)trioxime | NOEC | 50 mg/L | Oryzias latipes | Fish |
| CAS: 2224-33-1 EC: 218-747-8 | NOEC | 100 mg/L | Daphnia magna | Crustacean |

12.2 Persistence and degradability:

| Identification | Degradability | | Biodegradability | |
|--|---------------|----------------|------------------|----------------|
| Butan-2-one O,O´,O´´-(vinylsilylidyne)trioxime | BOD5 | Non-applicable | Concentration | 20 mg/L |
| CAS: 2224-33-1 | COD | Non-applicable | Period | 28 days |
| EC: 218-747-8 | BOD5/COD | Non-applicable | % Biodegradable | 0 % |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine | BOD5 | Non-applicable | Concentration | Non-applicable |
| CAS: 1760-24-3 | COD | Non-applicable | Period | 28 days |
| EC: 217-164-6 | BOD5/COD | Non-applicable | % Biodegradable | 39 % |

12.3 Bioaccumulative potential:

| Identification | Bioaccumulation potential | |
|--|---------------------------|-----|
| Butan-2-one O,O´,O´´-(vinylsilylidyne)trioxime | BCF | 1 |
| CAS: 2224-33-1 | Pow Log | 0.6 |
| EC: 218-747-8 | Potential | Low |

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

| Code | Description | Waste class (Regulation (EU) No 1357/2014) |
|----------|---|---|
| 08 04 10 | waste adhesives and sealants other than those mentioned in 08 04 09 | Non dangerous |

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

Page 9/12

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ROCKO MATT SILICONE

SECTION 14: TRANSPORT INFORMATION (continued)

14.1 UN number or ID number: Non-applicable Non-applicable 14.2 UN proper shipping name: 14.3 Transport hazard class(es): Non-applicable Non-applicable Labels: 14.4 Packing group: Non-applicable

14.5 Environmental hazards:

14.6 Special precautions for user

Special regulations: Non-applicable Tunnel restriction code: Non-applicable Physico-Chemical properties: see section 9 Limited quantities: Non-applicable

14.7 Maritime transport in bulk according to IMO instruments:

Non-applicable

Transport of dangerous goods by sea:

With regard to IMDG 39-18:

14.1 UN number or ID number: Non-applicable 14.2 UN proper shipping name: Non-applicable 14.3 Transport hazard class(es): Non-applicable Labels: Non-applicable 14.4 Packing group: Non-applicable

14.5 Marine pollutant: No

14.6 Special precautions for user

Special regulations: Non-applicable

EmS Codes:

see section 9 Physico-Chemical properties: Non-applicable Limited quantities: Segregation group: Non-applicable

14.7 Maritime transport in bulk according to IMO instruments:

Non-applicable

Transport of dangerous goods by air:

With regard to IATA/ICAO 2022:

14.1 UN number or ID number: Non-applicable 14.2 UN proper shipping name: Non-applicable 14.3 Transport hazard class(es): Non-applicable Labels: Non-applicable 14.4 Packing group: Non-applicable

14.5 Environmental hazards: No

14.6 Special precautions for user

Physico-Chemical properties: see section 9 Maritime transport in bulk 14.7 Non-applicable

according to IMO instruments:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains carbendazim (ISO).

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

- CONTINUED ON NEXT PAGE -

Date of compilation: 08/04/2022 Revised: 08/04/2022 Version: 2 (Replaced 1) Page 10/12

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ROCKO MATT SILICONE

SECTION 15: REGULATORY INFORMATION (continued)

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- -tricks and iokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H317: May cause an allergic skin reaction.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H332 - Harmful if inhaled.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral).

STOT SE 3: H335 - May cause respiratory irritation.

Classification procedure:

Skin Sens. 1: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

- CONTINUED ON NEXT PAGE
Date of compilation: 08/04/2022 Revised: 08/04/2022 Version: 2 (Replaced 1) Page 11/12

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ROCKO MATT SILICONE

SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET
Date of compilation: 08/04/2022 Revised: 08/04/2022 Version: 2 (Replaced 1) Page 12/12